

ДДУ03-50-019 УХЛ1



ДДУ03-2x50-019 УХЛ1



ДДУ03-3x50-019 УХЛ1




ДДУ03-4x50-019 УХЛ1




ДДУ03-5x50-019 УХЛ1




ДДУ03-50-019 УХЛ1




ДДУ03-2x50-019 УХЛ1




ДДУ03-3x50-019 УХЛ1



ДДУ03-4x50-019 УХЛ1



ДДУ03-5х50-019 УХЛ1



Модель	ДДУ03-50-019 УХЛ1	ДДУ03-2х50-019 УХЛ1	ДДУ03-3х50-019 УХЛ1	ДДУ03-4х50-019 УХЛ1	ДДУ03-5х50-019 УХЛ1
Мощность	50W	100W	150W	200W	250W
Напряжение /частота	AC220V/50HZ				
LED	3030/72PCS/ 90PCS	3030/144PCS/ 180PCS	3030/216PCS/ 270PCS	3030/288PCS/ 320PCS	3030/360PCS/ 450PCS
Цветовая температура	3000K/4000K/5000K/6000K				
Угол	60°、90°、90°*100°				
Степень защиты	Ip65				
Материал Корпуса	Алюминиевый сплав				
Цвет	Серебро				
Вес	1.2KG	1.6KG	1.9KG	2.4KG	2.8KG

