

ДДУ03-60-019 УХЛ1



ДДУ03-2x60-019 УХЛ1



ДДУ03-3x60-019 УХЛ1




ДДУ03-4x60-019 УХЛ1




ДДУ03-5x60-019 УХЛ1




ДДУ03-60-019 УХЛ1




ДДУ03-2х60-019 УХЛ1




ДДУ03-3x60-019 УХЛ1



ДДУ03-4x60-019 УХЛ1



ДДУ03-5х60-019 УХЛ1



Модель	ДДУ03-60-019 УХЛ1	ДДУ03-2х60-019 УХЛ1	ДДУ03-3х60-019 УХЛ1	ДДУ03-4х60-019 УХЛ1	ДДУ03-5х60-019 УХЛ1
Мощность	60W	120W	180W	240W	300W
Напряжение /частота	AC220V/50HZ				
LED	3030/72PCS/ 90PCS	3030/144PCS/ 180PCS	3030/216PCS/ 270PCS	3030/288PCS/ 320PCS	3030/360PCS/ 450PCS
Цветовая температура	3000K/4000K/5000K/6000K				
Угол	60°、90°、90°*100°				
Степень защиты	Ip65				
Материал Корпуса	Алюминиевый сплав				
Цвет	Серебро				
Вес	1.5KG	2.7KG	3.5KG	4.6KG	5.6KG

